

Public Employment Risk Reduction Program State of Ohio

Sharps Injury Form Needlestick Report

Division of Safety and Hygiene 13430 Yarmouth Drive Pickerington, Ohio 43147 614-644-2246 or 800-671-6858 Fax: 614-644-3133

Instructions: This form is to be used to report needlestick or sharps injuries by personnel in your organization responsible for reporting such incidents to the Public Employment Risk Reduction Program. It is preferred that the public employer submit all forms via the Internet.

| | er information |
|--|--|
| 1) Employer: | |
| 3) Address: | |
| 4) City: | 5) State: OH 6) ZIP code: 7) County: |
| Address of reporte | Address of reporter if different from facility where injury occurred (no P.O. boxes): |
| 8) Date reported: | By:Phone: |
| | |
| 9) Date of injury: _ | 10) Time of injury: 11) Age of injured: 12) Sex of injured: ☐ Male ☐ Female |
| 13) Type of Sharp: Needle | Needle |
| | ☐ Blood gas syringe ☐ Insulin syringe with needle ☐ IV catheter- loose ☐ Needle connected to IV line |
| | ☐ Needle factory-attached to syringe ☐ Other nonsuture needle ☐ Other syringe with needle |
| | ☐ Prefilled cartridge syringe (i.e. Tubex-type) ☐ Syringe- other ☐ Tuberculin syringe with needle ☐ Vacuum tube collection |
| | ☐ Winged steel needle |
| | Surgical instrument (non glass) |
| | □ Lancet □ Other non-glass sharp □ Scalpel □ Staples □ Suture needle □ Trocar □ Wire |
| | Glass |
| | ☐ Ampule ☐ Blood tube ☐ Other glass ☐ Other tube ☐ Slide |
| 14) Brand (write br | 14) Brand (write brand name or "unknown"): |
| 16) Job classificati | 16) Job classification of injured person: ☐ Aide (e.g. CNA/HHA) ☐ Chiropractor ☐ CRNA/NP ☐ EMT/paramedic ☐ Firefighter ☐ Housekeeper/laundry ☐ LPN ☐ Maintenance ☐ MD/DO ☐ Other ☐ PA ☐ Phlebotomist/lab tech ☐ Respiratory therapist ☐ RN ☐ Road crew ☐ School personnel (not nurse) ☐ Sewer & Sanitation ☐ Surgery assistant/OR tech |
| 17) Employment st | 17) Employment status of injured person: ☐ Contractor/contract employee ☐ Employee ☐ Other ☐ Student ☐ Volunteer |
| 18) Type of location | 18) Type of location/facility/agency where sharps injury occurred: ☐ Bloodbank/center/mobile ☐ Clinic ☐ Correctional facility ☐ EMS/fire/police ☐ Home health ☐ Hospital ☐ Laboratory (freestanding) ☐ Other ☐ Outpatient treatment (e.g. dialysis -infusion therapy) |
| | □Radiology □Residential facility (e.g. MHMR-shelter) □School |
| 19) Work area whe | 19) Work area where sharps injury occurred (select best choice): ☐ Autopsy/pathology ☐ Blood bank/center/mobile ☐ Central sterile ☐ Critical care unit ☐ Dialysis room/center ☐ Emergency dept. ☐ EMS/fire response ☐ Field (non EMS) |
| | ☐ Floor - not patient room ☐ Home ☐ Infirmary ☐ Laboratory ☐ L&D ☐ Medical/outpatient clinic ☐ OR ☐ Patient/resident room ☐ Pre-op or PACU ☐ Procedure room ☐ Radiology ☐ Roadside park ☐ Seclusion room |
| | ☐ Service/utility area (e.g. laundry) ☐ Sewage treatment facility ☐ Other |
| 20) Original intended use of sharp: ☐ Drilling ☐ Eli | ed use of sharp: ☐ Contain specimen/pharmaceutical ☐ Cutting (surgery) ☐ Draw arterial sample ☐ Draw venous sample ☐ Drilling ☐ Electrocautery ☐ Finger stick/heel stick ☐ Heparin or saline flush ☐ Injection - IM ☐ Injection - SC/ID |
| | □ Obtain body fluid/tissue sample □ Other injection/aspiration IV □ Start IV or set up heparin lock □ Suturing - deep □ Suturing - skin □ Unknown/NA □ Wiring □ Other |
| | |

| ylury information -continued |
|---|
| 21) When did injury occur? ☐ Before ☐ After ☐ Duringthe sharp was used for its intended purpose. |
| 22) If the exposure occurred "during" or "after" the sharp was used, was it: 🔲 Because the injured was bumped during the procedure |
| ☐ Because the item was placed in an inappropriate place (e.g. table/bed/trash) |
| ☐ During OR procedure reaching for or passing instrument ☐ While disassembling |
| ☐ While the sharp was being placed in a container ☐ While recapping ☐ Other |
| 23) Involved body part: ☐ Arm (but not hand) ☐ Face/head/neck ☐ Hand ☐ Leg/foot ☐ Torso (front or back) |
| 24) Did the device being used have any engineered sharps injury protection? ☐ Yes ☐ No ☐ Don't Know |
| 25) Was the protective mechanism activated? Yes No Don't Know |
| 26) Was the injured person wearing gloves? ☐ Yes ☐ No ☐ Don't Know |
| 27) Had the injured person completed a hepatitis B vaccination series? ☐ Yes ☐ No ☐ Don't Know |
| 28) Was there a sharps container readily available for disposal of the sharp? ☐ Yes ☐ No ☐ Don't Know |
| 29) Had the injured person received training on the exposure control plan in the 12 months prior to the incident? 🗌 Yes 🗎 No 🗎 Don't Know |
| 30) Exposed employee: If sharp had no engineered sharps injury protection, do you have an opinion that such a mechanism could have prevented |
| ine injury ? |
| □ Yes □ No |
| Explain: |
| |
| |
| 31) Exposed employee: Do you have an opinion that any other engineering, administrative, or workpractice control could have prevented the injury? |
| □ Yes □ No |
| Explain: |
| |
| |

Ohio Bureau of Workers' Compensation

Public Employment Risk Reduction Program

State of Ohio

Division of Safety and Hygiene
13430 Yarmouth Drive
Pickerington, Ohio 43147
614-644-2246 or 800-671-6858

Fax: 614-644-3133